Hanford Occupational Health Services

Core & Balance

GUIDELINES


- Use slow and controlled movements.
- Do not hold your breath.
- Perform each exercise for at least 10 seconds.
- Maintain proper posture and technique.

- Perform exercises on opposite side when applicable.
- Discontinue exercise if you experience pain.
- Do not add Challenge Movements to Balance Exercises until you are comfortable with the basic exercises.

www.hanford.gov/amh

(509) 376-3939





ENGAGED CORE WITH BENT OR STRAIGHT LEG

Engage your core as in exercise #1. While core is engaged, raise one foot up off the floor, pulling knee up toward chest. Slowly return your foot to the floor and repeat 10 times. As you get stronger, try the exercise with a straight leg.



STANDING

SUPERMAN Stand up straight with both arms raised above head. Extend both arms and one leg behind you and arch your low back. Return to starting position and









5 PLANK HOLD - TABLE

Place forearms on a sturdy table, shoulder-width apart. Step back, creating a straight line from heels to head. With core engaged, hold position for 15 to 60 seconds. If you feel sagging in your upper or lower back, reset position and try again.



PLANK HOLD - FLOOR

Place forearms on the floor, shoulderwidth apart. Make sure elbows are directly under shoulders so upper arms are not touching chest. Place knees behind you, creating a straight line from knees to head. With core engaged, hold position for 15 to 60 seconds. If you feel sagging in your upper or lower back, reset position and try again. As you get stronger, raise up to your feet and hold.



SEATED LEG RAISE

Sit near edge of chair. With a straight back and engaged core, recline so your back lightly touches the chair. Maintain engaged core and pull knee slowly toward chest (A). Return heel to floor and repeat 10 times. As you get stronger, try the exercise with a straight leg (B), or raise both legs at the same time (C).



3 HEEL TO TOE WALK


Walk in a straight line allowing no space between the toe of one foot and the heel of the other. As comfortable, add challenge movements to increase level of difficulty.



4 TRIANGLE TOE-TAP

Stand on one leg. With opposite foot, tap toe out in front, to your side, and behind you without transferring your weight onto tapping foot. As comfortable, add challenge movements to increase level of difficulty.





ERCIS

ALANC



ONE-LEG STAND Raise one foot up off the floor and hold. As comfortable, add challenge movements to increase level of difficulty.

> TIP TOES Raise heels up off the floor and hold. As comfortable, add challenge movements to increase level of difficulty.

PRECAUTIONS: Not intended as a substitute for the advice of a physician or personal health care provider. If you have medical conditions requiring attention or which may be aggravated by physical activity, consult your health care provider regarding the type of activity that is safe and appropriate for you.